



### **Contingency Plan**





# **Contingency Plan working with slurry**





# Instruction for using the slurry system

- Let your co-workers know that manure is being emptied
- Start the pump and make sure the shutter in delivery room is closed
- Always wear the slurryalarm device, attach it to your breast pocket
- Bring the headlamp, that will make it easier to see, that the plugs are proper in, and you can have both hands free
- Start with stable 1 and 2. Pull the plug nearby the slurry tank
- Stable 3, pull the plug in the feeding room
- Stable 4, 8 plugs. Pull one plug at a time and wait 2 minutes for the next Put back, all the plugs
- Stable 5,6 and 7. Pull the plug in nr. 5 and turn on the scraper
- Delivery room. 6 plugs which are being pulled quickly after each other
- Turn off the pump
- Turn off the slurryalarm and leave it at the right spot



# Contingency plan for personal injury

Make a list over relatives that can be contacted

Distribute the responsibility, who does what?

Talk about the accident



# Slurrygas levels

1-3 PPM	You can smell the gas
5 PPM	You can stay in the barn max 8 hours
10 PPM	You can stay in the barn for 15 minutes
20 PPM	Irritating your eyes, leave the barn or get the level down
100-150 PPM	Sense of smell is paralysed
500-1000 PPM	Breathing is paralysed
Over 1000 PPM	Knockdown after one or two breths



### **Protective equipment**



Slurrygas meter

Emergency mask

Compressed air mask



# **Chemical Risk assessment slyrrygas**



Decribe on a document and talk about:



How to drag the slurry plugs



How to work safe in the manure channels



How to work in a safe way in the manure pits



How do we enter the slurry tank, small and big



Any other special instruction



#### **SEGES Hotline**



